



CODICE PRODOTTO: 2332555
Check & Go Green Nit 5

Per maneggiare oggetti acuminati in ambienti oleosi o untuosi.

Honeywell

Presentazione generale

Reference Number

2332555

Tipo di prodotto

Guanti

Gamma

Cut and Puncture Protection

Line

Cut resistant

Marchio

Honeywell

Settore

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Manutenzione
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

Utilizzo del prodotto

Per maneggiare oggetti acuminati in ambienti oleosi o untuosi.

Fornisce ai responsabili della sicurezza un riconoscimento visivo del livello della protezione antitaglio

Funzioni e vantaggi

Caratteristiche

Guanto in maglia in Dyneema, poliammide e fibra composita

Rivestimento in nitrile verde sul palmo

Colore: Bianco e verde

Misura 13

Lunghezza: 25 cm.

Vantaggi

COMFORT

La tecnica di lavorazione a maglia fa sì che si ottenga un guanto con una buona presa che si adatta comodamente alla forma della mano.

Il guanto offre il massimo comfort e maggiore robustezza.

Il gradevole contatto della fibra Dyneema® aumenta il comfort.

La fitta lavorazione a maglia (misura 13) conferisce al guanto un supporto perfetto, limita la penetrazione della sporcizia e offre una buona sensibilità al tatto.
 Il dorso ventilato del guanto ne ottimizza la traspirazione.

RESISTENZA

Il filato in Dyneema®/lycra® assicura una protezione straordinaria contro i tagli.
 Il rivestimento in nitrile sul palmo e sulle punte delle dita assicura una straordinaria resistenza all'abrasione e protezione contro l'olio.
 La fibra composita completamente protetta da poliammide aumenta la resistenza al taglio.
 Attenzione. Non esporre il guanto al calore.

SICUREZZA

Il codice colore posto sulla parte superiore della mano e il colore del rivestimento consentono ai responsabili della sicurezza e ai lavoratori di riconoscere visivamente il livello di protezione antitaglio.

Descrizione tecnica

Descrizione

CATEGORIA CE: Rischi intermedi II
 In conformità agli standard:
 EN 420-2003 CEE Standard di base
 EN 388-2003 Rischi meccanici

CARATTERISTICHE: Guanto in maglia in Dyneema, poliammide e fibra composita
 Rivestimento in nitrile verde sul palmo
 Colore: Bianco e verde
 Misura 13.
 Lunghezza: 25 cm.

Tecnologia del prodotto

Rivestimento in maglia

Fibra

Dyneema®/poliammide/fibra composita e lycra®

Misura

13

Glove/liner color

Bianco

Tipo di rivestimento

Nitrile

Colore del rivestimento

Verde

Lunghezza

25 cm

Innocuità

In conformità agli standard europei

Presca

Classe 5

taglie

Da 7 a 11

EN 388 - Mechanical Hazards Abrasion Resistance

Resistenza all'abrasione	4
Resistenza al taglio	5
Resistenza alle lacerazioni	4
Resistenza alla perforazione	3

Packaging Label

etichettatura
 CE HONEYWELL
 2332555 XX

EN 420
EN 388: 4543

Certificazioni

 Dichiarazione di conformità CE

Categoria DPI

2

Quality Assurance

ISO 9001 / 2000

Numero certificazione CE

0075/797/162/12/10/0513 EXT

Attestato CE

 EC Attestation

Numero attestato CE

0075/797/162/12/10/0513 EXT

Foto e immagini

Informazioni aggiuntive

User Manual

UI 102

Tabella di controllo utente

102

Manutenzione

Informazioni per la conservazione

Confezione minima da 10 paia.

Scatole da 100 paia.

Istruzioni per la cura

È possibile lavare questo articolo a 40 °C senza il rischio di danneggiarne le prestazioni meccaniche.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/10/13/1059

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : 23 325 55
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on October 03th, 2013
Update 03 of August 28th, 2015

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 04

Reference : 23 325 55

Basic Model

Dated : August 2015

5 fingers knitted gloves, with Polyethylene high tenacity/Polyamide/Polyester/Elasthane/Glass Fiber, Green Nitrile Coating on the palm and Fingertips, Overlock T6-Green / T7- Red / T8-Blue / T9-Yellow / T10 - White / T11- Orange

Available sizes :

07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	White	polyéthylène high tenacity/polyamide/elasthane	13	
	white	Polyester/Glass Fiber	13	
	Green	Nitrile		1,6mm
BACK	White	polyéthylène high tenacity/polyamide/elasthane	13	
	white	Polyester/Glass Fiber	13	
LINING				
CUFF	white	Polyester/Glass	13	
	white	polyamide	13	
	Natural	Rubber yarn	13	
BINDING	Red/Blue/Yellow/White/Orange/Green	PES		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1305-7870/4 1309-14714/1 1310-16255/1 L150710857_1	
Azo		1008-10045/2	
EN 388		1305-7870/4	1106-7634/1 1305-7870/4

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	5	4	3


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 23 325 55
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	23 325 55
Technical file index	:	04
Last update	:	August 2015

IDENTIFICATION

Reference of the product :	:	23 325 55
Technical file index :	:	04
Last update :	:	August 2015

CE Type Examination Applicant :

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
France

tel : 01.49.90.79.79

fax : 01.49.90.79.80

Manufacturer :

SPERIAN PERSONAL PROTECTIVE EQUIPEMENT (Nantong) Co. LTD
Tonghu Road, Rudong Industrial New area - Nontong City - Jiangsu Province
CHINA

tel: + 86-513-8456999

fax: +85-513-84536318

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD.
North of Yalujiang Road, Rudong Economic Development Zone, Rudong, Nantong
China

GLOVE DESCRIPTION

Glove description :

5 fingers knitted gloves, with Polyethylene high tenacity/Polyamide/Polyester/Elasthane/Glass Fiber, Green Nitrile Coating on the palm and Fingertips, Overlock T6-Green / T7- Red / T8-Blue / T9-Yellow / T10 - White / T11- Orange

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
230	07
240	08
250	09
260	10
270	11

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thickness
PALM	2915326	White	polyéthylène high tenacity/polyamide/elasthane		13	
	2915327	white	Polyester/Glass Fiber		13	
	2916165	Green	Nitrile			1,6mm
BACK	2915326	White	polyéthylène high tenacity/polyamide/elasthane		13	
	2915327	white	Polyester/Glass Fiber		13	
LINING						
CUFF	2915327	white	Polyester/Glass Fiber		13	
	2915322	white	polyamide		13	
	2925161	Natural	Rubber yarn		13	
BINDING	2915151	Red/Bue/Yellow/White/Orange/Green	PES			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : not conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	5
Tear strength resistance	4
Puncture resistance	3

The levels of performance have been measured on the palm

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420		1305-7870/4 1309-14714/1 1310-16255/1 L150710857_1	
Azo		1008-10045/2	
EN 388		1305-7870/4	1106-7634/1 1305-7870/4

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo


Glove's reference : 23 325 55

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

Label Sewn + Number of the back

Packaging :

10 pairs per bundle, 10 bundles per box,

MEANS OF CONTROL

Final inspection plan : in accordance to ISO 2859 level 1
Major defects : NQA = 1,5 / Minor defects : NQA = 10.

Sampling Plan		Quantity of acceptable defects	
<i>Lot Quantity</i>	<i>Sample quantity</i>	<i>Minor Defects</i>	<i>Major Defects</i>
110 to 200	D 8	2	0
201 to 500	F 20	5	1
501 to 1200	G 30	7	1
1201 to 10000	J 80	14	3
10000	K 125	21	5



Dichiarazione di conformità CE

Il produttore o il suo rappresentante legale nella CE:

Honeywell Safety Products Europe

Dichiara che il Dispositivo di protezione individuale qui descritto è conforme alle Direttive Europee 89/686/CEE:

Designazione: Check & Go Green Nit 5

Riferimento: 2332555

Normative: EN 388, EN 420

Questo Dispositivo di protezione individuale è l'oggetto della certificazione CE riportata di seguito:

0075/797/162/12/10/0513 EXT

Consegnata da:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Redatta in Roissy, in data 09/05/2016

Per: Fabrice beaugeard

Divisione: Guanti



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com